

Document #.	F510-7		
Revision date:	12/27/2022		
Comments:	6-6-6-6		
Approval:	Director		

ISO/IEC 17025 Certificate

No.: AT 18-25

Certificate of Analysis: Magnesium + Irish Sea Moss lot#IS5540-046-3

PO# 315540

HDA contact Customer contact
High Desert Analysis Nutrtional Roots

579 W Wickenburg Way Ste 8

Wickenburg, AZ. 85390

jconnaughton@highdesertanalysis.consulting

phone:(812) 929-0675

Sample Information

Date of inquiry
Collection date
Date of receipt
Date test performed

Date test performed Sample ID Lab ID

Type of test

Name of test material Expiry date sample from 5/3/2023 5/3/2023 5/3/2023 5/3/2023 230523-23

5/23/2023

Date:

May 23, 2023

IR,NIR,HPLC,UV-Vis,ICP,Luminex, Raman,Elisa,GC,LCMS,TLC Magnesium + Irish Sea Moss Iot#IS5540-046-3

1/28/2026 Nutrtional Roots

Summary of Analysis

The analysis of the sample identified above by the Laboratory Procedure was successful in determining the analysis. The sample is consistent with being within our predefined limits of detection for each item.

Average capsule fill weight

829 mg

Reported Results

serving

Items	Specifications (mg)	Specifications (B CFU)	Specifications (mcg)	Results (mg)	Results (B CFU)	Results (mcg)	Test Methods	Pass/Fail
Magnesium(as chelated Glycinate)	350.00			369.25			HPLC, Uv-Vis, ICP, Raman	Pass
Organic Irish Sea Moss(Whole Plant)	440			464.20			HPLC, Uv-Vis, TLC, Raman	Pass

2 capsule

Observations:

Authorized by

James Connaughton BA, MBA, ND

Technical Director

The results contained herein relate only to the items tested. This test report shall not be reproduced, except in full, without the expressed written consent of the Laboratory. All analytical work is conducted professionally in accordance with all applicable standard laboratory practices and that this data reflects our best attempt to generate accurate results for the specific sample(s) provided.